ANAESTHESIA AND INTENSIVE CARE
Journal of the Australian Society of Anaesthetists

INDEX

Volume 24, 1996

(C) indicates correspondence

(R) indicates book review

INDEX

Awareness during endoscopic procedures,Grant G. C., **517**

A Cook airway exchange catheter in the management of intraoperative tracheal injury, Montgomery P. Q., Mochloulis G., Sidhu V. S., **617**

A comparison of intramuscular ketorolac and indomethacin suppositories in the treatment of pain after oral surgery, Turner G., Anson N., Williamson R., **665**

A comparison of postoperative thrombotic potential following abdominal aortic surgery, carotid endarterectomy, and femoro-popliteal bypass, Gibbs N. M., Crawford G. P. M., Michalopoulos N., **11**

A comparison of the efficacy of ketorolac and indomethacin used for postoperative analgesia following laparoscopic surgery in day patients, Murrell G. C., Leake T., Hughes P. J., **237**

A Handbook of Paediatric Anaesthesia, Mather S. J., Hughes D. G., **628**

A Practical Approach to Cardiac Anesthesia, Hensley F. A., Martin D. E., **291**

A Prospective clinical comparison of two intravenous polyurethane cannulae, Russell W. J., Micik S., Gourd S., MacKay H., Wright S., **705**

A randomized double-blinded comparison of metoclopramide, ondansetron and cyclizine in day-case laparoscopy, Watts S. A., **546**

A simple manoeuvre to aid inhalation induction in a patient with a supraglottic mass, Riley R. H., Driesen N. V., Lewis R. H., Adamson S. J., **727**

A simple method for frequent monitoring of gastric carbon dioxide, Corke C., Prisco G., Gizycki P., Selvakumaran A., **590**

A survey of anaesthetic manpower and training in the south-west pacific region, Kinnear S. B., **477**

Abdominal repair, staged, in critical illness,Torrie J., Hill A. A., Streat S., **368**

Abstracts of Papers, Abstracts of the 20th Scientific Meeting of the Australian and New Zealand Intensive Care Society, Brisbane Qld, October 1995, **267**

Abstracts of Papers, Abstracts of the annual ASA AGM held on October 21-25, 1995, Melbourne Victoria, **104**

Abstracts of Papers, Abstracts of the CECANZ ASM held in Palmerston North, November 16-17 1995., **611**

Accidental nicardipine overdosage without serious maternal or neonatal consequences, Aya A. G. M., Bruelle P., Lefrant J. Y., Saissi G., Ferrer J. M., Eledjam J. J., **99**

Acupuncture and postoperative vomiting in day-stay paediatric patients, Schwager K. L., Baines D. B., Meyer R. J., **674**

Acute meningococcaemia: Recent advances in management (with particular reference to children), Kennedy N. J., Duncan A. W., **197**

Acute Pain Management,Macintyre P. E., Ready L. B., **404**

Acute pain management in Australia and New Zealand, Baylis R. J. H., Stannard C. F., **287**

Acute renal failure in cardiac surgical patients potentiated by gentamicin and calcium, Schneider M., Valentine S., Clarke G. M., Newman M. A. J., Peacock J., **647**

Acute respiratory distress syndrome, ARDS: inhaled aerosolized prostacyclin and nitric oxide in, van Heerden P. V., Blythe D., Webb S. A. R., **564**

Adamson S. J.,(C), **727**

Admissions to intensive care, audit of unbooked paediatric post-anaesthesia, Downey G. B., O'Connell A. J., **464**

AIMS-ICU: The Australian incident monitoring study in intensive care. The development and evaluation of an incident reporting system in intensive care, Beckmann U., West L. F., Groombridge G. J., Baldwin I., Hart G. K., Clayton D. G., Webb R. K., Runciman W. B., **314**

AIMS-ICU: The Australian incident monitoring study in intensive care. An analysis of the first year of reporting, Beckmann U., Baldwin I., Hart G. K., Runciman W. B., **320**

Air embolism following abdominal stab-wound, Southern D. A., Avramovic J., Fitzsimmons K., **623**

Airway, tumour fragment detected in the, by intraoperative fibreoptic examination, Sakura S., Nomura T., Uchida H., **265**

Airway; obstruction: life-threatening from nitrous oxide induced frostbite, Svartling N., Ranta S., Vuola J., Takkunen O., **717**

Akpolat N., see Kanbak M., **559**

Albrecht A., Hogg M., Robinson S.,Transient radicular irritation as a complication of spinal anaesthesia with hyperbaric 5% lignocaine, **508**

Allen D. L., (C), **615**

Alveolar overdistension is an important mechanism of persistent lung damage following severe protracted ARDS, Finfer S., Rocker G., **569**

American Society of Anesthesiologists infection control policy, Berry A. J., **618**

An accidental massive extravascular infusion of fluids in a burned patient, Svartling N., Haasio J., **394**

An aid to placing laryngeal mask airway (LMA), Beahan P. G.,511

An airborne intensive care facility (fixed wing), Gilligan J. E., Goon P., Maughan G., Griggs W., Haslam R., Scholten A., **245**

An assessment of tonometry and regional splanchnic blood flow during aortic cross-clamping in the pig, Jacques T., Morris R., Lalak N., Englung R., Gibb D., **15**

An outbreak of hepatitis A in an intensive care unit, Hanna J., Loewenthal M., Negel P., Wenck D., **440**

An unusual presentation of crush syndrome following syncope, Oda Y., Nomura T., Shindoh M., Nishi S., Kuyioka H., Fujimori M., **389**

Anaesthesia and emerging infectious diseases, Dwyer D. E., **184**

Anaesthesia and trisomy 3p syndrome, Allen D. L., Foster R. N., **615**

Anaesthesia circuits, disposable and autoclavable: The future is now, Komesaroff D., **173**

Anaesthesia for a patient with a mediastinal mass presenting with acute stridor, Lewer B. M. F., Torrance J. M., **605**

Anaesthesia for children with mucopolysaccharidoses, Moores C., Rogers J. G., McKenzie I. M., Brown T. C. K., **459**

Anaesthesia information - what patients want to know, Garden A. L., Merry A. F., Holland R., Petrie K., **594**

Anaesthesia, complications: arytenoid subluxation, Hiong Y. T., Fung C. F., Sudhaman D. A., **609**

Anaesthesia, complications: cardiovascular following ondansetron and prochlorperazine, van den Berg A. A., **538**

Anaesthesia, complications: death in urgent non-emergency surgery, Horan B. F., Warden J. C., **694**

Anaesthesia, complications: Mediastinal mass presenting with acute stridor, Lewer B. M. F., Torrance J. M., **605**

Anaesthesia, obstetric: mivacurium block with or without anticholinesterase, recovery of, Jan G. S. K., Tong W. N., Chan A. M. H., Hui T. W. C., Lo J. W. R., **585**

Anaesthesia: Obstetric, uterine rupture and scar dehiscence. A

five-year survey, Lynch J., Pardy J., **699**
Anaesthesia: outcome. Measuring outcomes, Lee A., Lum M. E., **685**
Anaesthetic machine and breathing system contamination and the efficacy of bacterial/viral filters, Hogarth I., **154**
Anaesthetic techniques: Acupuncture and postoperative vomiting in day-stay paediatric patients, Schwager K. L., Baines D. B., Meyer R. J., **674**
Anaesthetic techniques: cannulation, intravenous. Comparison of two cannulae, Russell W. J., Micik S., Gourd S., MacKay H., Wright S., **705**
Anaesthetics volatile, halothane, in coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**
Anaesthetics volatile: isoflurane, in coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**
Anaesthetics, intravenous; fentanyl in coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**
Analgesia for acute musculoskeletal trauma: Low-dose subcutaneous infusion of ketamine, Gurnani A., Sharma P. K., Rautela R. S., Bhattacharya A., **32**
Analgesia, postoperative, following laparoscopic surgery in day patients, a comparison of the efficacy of ketorolac and indomethacin for, Murrell G. C., Leake T., Hughes P. J., **237**
Analgesia, techniques: patient-controlled morphine. An audit of 1233 Chinese patients, Tsui S. L., Wong W. N., Irwin M., Ng K. F. J., Lo J. R., Chan W. S., Yang J., **658**
Analgesia: efficacy of paracetamol in children using tonsillectomy as a pain model, Anderson B. J., Kanagasundaram S., Woollard G., **669**
Analgesia; Morphine for postoperative analgesia. A comparison of intramuscular and subcutaneous routes of administration, Cooper I. M., **574**
Analgesic efficacy of paracetamol in children using tonsillectomy as a pain model, Anderson B. J., Kanagasundaram S., Woollard G., **669**
Analgesics, intramuscular: ketorolac compared with rectal indomethacin after dental surgery, Turner G., Anson N., Williamson R., **665**
Analgesics, rectal: indomethacin compared with oral ketorolac after dental surgery, Turner G., Anson N., Williamson R., **665**
Analgesics: intravenous, morphine. Patient-controlled analgesia an audit of 1233 Chinese patients, Tsui S. L., Wong W. N., Irwin M., Ng K. F. J., Lo J. R., Chan W. S., Yang J., **658**
Analgesics: paracetamol in children, efficacy, Anderson B. J., Kanagasundaram S., Woollard G., **669**
Anaphylactic reaction to rocuronium bromide, Yee R., Fernandez J. A., **601**
Anaphylaxis to mivacurium, Baird M. B., Futter M., **486**
Anapyhlaxis, intraoperative, caused by hydatid cyst, serum tryptase measurement in diagnosis of, Blanco I., Cardenas E., Aquilera L., Camino E., Arizaga A., Telletxea S., **489**
Anderson B. J., Kanagasundaram S., Woollard G., Analgesic efficacy of paracetamol in children using tonsillectomy as a pain model, **669**
Andrew M., see Michael A., **360**
Anesthesia and Intensive Carefor Patients with Liver Disease, Park G. R., Kang Y., **404**
Anesthesia for Renal and Genito-Urologic Surgery, Malhotra V., **625**
Angioedema following prilocaine, Ferguson S., **398**
Anson N., see Turner G., **665**
Antibiotics: gentamicin and calcium in acute renal failure in cardiac surgical patients, Schneider M., Valentine S., Clarke G. M., Newman M. A. J., Peacock J., **647**
Antiemetics: metoclopramide, ondansetron, cyclizine in day-case laparoscopy, Watts S. A., **546**
Antiemetics: prochlorperazine and ondansetron in septorhinoplasty, van den Berg A. A., **538**
Antivenoms, efficacy and potency of, in neutralizing the procoagulant effects of Australian snake venoms in dog and human plasma, Sprivulis P., Jelinek G. A., Marshall L., **379**
Aortic surgery, carotid endarterectomy, and femoro-popliteal bypass, a comparison of postoperative thrombotic potential following abdominal, Gibbs N. M., Crawford G. P. M., Michalopoulos N., **11**
APTT, Hemotec and Hemochron for the detection of low concentrations of heparin, sensitivity and specificity of the, Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., **472**
Aquilera L., see Blanco I., **489**
ARDS and legionella longbeachae, Konecny P., Bell A. J., **678**
Arizaga A., see Blanco I., **489**
Arytenoid subluxation: Implications for the anaesthetist, Hiong Y. T., Fung C. F., Sudhaman D. A., **609**
Association between oxygen delivery and consumption in patients undergoing cardiac surgery. Is there supply dependence?, Myles P. S., McRae R., Ryder I., Hunt J. O., Buckland M. R., **651**
Atracurium and vercuronium, a comparison with - Rocuronium bromide in dental day case anaesthesia,Chetty M. S., Pollard B. J., Wilson A., Healy T. E. J., **37**
Atrioventricular rhythm, use of esmolol during intraoperative, James M. F. M., Thomas H. M., **492**
Attitudes and practices of New Zealand anaesthetists with regard to epidural and subarachnoid anaesthesia, Rodgers A., Sage D., Futter M., MacMahon S., **79**
Audit of unbooked paediatric post-anaesthesia admissions to intensive care, Downey G. B., O'Connell A. J., **464**
Aun C. S. T., (C), **115**
Avramovic J., (C), **623**
Axillary brachial plexus block in two hundred consecutive patients, Pearce H., Lindsay D., Leslie K., **453**
Aya A. G. M., Bruelle P., Lefrant J. Y., Saissi G., Ferrer J. M., Eledjam J. J., Accidental nicardipine overdosage without serious maternal or neonatal consequences, **99**

Back Pain in the Workplace - Management of Disability in Nonspecific Conditions, Fordyce W. E., **293**
Bacon A. K., see Rudkin G. E., **74**
Bacterial/viral filters, anaesthetic machine and breathing system contamination and efficacy of, Hogarth I., **154**
Bailliere's Clinical Anaesthesiology: Postoperative Pain Management, Breivik H., **518**
Bailliere's Clinical Anaesthesiology: The Upper Airway, Jones J. G., Hanning C. D., **294**
Baines D. B., see Schwager K. L., **674**
Baird M. B., Futter M., Anaphylaxis to mivacurium, **486**
Baker A. B., (C), **284**
Baker B, (R), **734**
Baldwin I., see Beckmann U., **314**
Baldwin I., see Beckmann U., **320**
Ball C., Cover Note - Crawford Williamson Long (1815-1878), **303**
Ball C., (C), **624**
Ball C., Westhorpe R., Ether before anaesthesia, **3**
Barnes N., (C), **117**
Barnes N., (C), **125**
Basic Physics and Measurement in Anaesthesia. Fourth Edition, Davis P. D., Parbrook G. D., Kenny G. N. C., **628**
Basics of Transesophageal Echocardiography, Rafferty T. D., **519**
Baylis R. J. H., (C), **288**
Baylis R. J. H., (C), **287**
Beahan P. G., (C), **511**
Beards S., see Blumberg L., **217**
Beckmann U., Baldwin I., Hart G. K., Runciman W. B., The Australian incident monitoring study in intensive care: AIMS-ICU. An analysis of the first year of reporting, **320**
Beckmann U., Runciman W. B., Editorial, **311**
Beckmann U., West L. F., Groombridge G. J., Baldwin I., Hart G. K., Clayton D. G., Webb R. K., Runciman W. B., The Australian incident monitoring study in intensive care. AIMS-ICU. The

development and evaluation of an incident reporting system in intensive care ,**314**
Beghetti M., see Habre W., **435**
Bell A. J., see Konecny P., **678**
Bellamy Gardner's mask, Roberts F. W., **623**
Bennett A. M., see Myles P. S., **355**
Bernard S., Induced hypothermia in intensive care medicine, **382**
Berner M., see Habre W., **435**
Berry A. J., (C), **618**
Bersten A. D., see Holt A. W., **423**
Bhattacharya A., see Gurnani A., **32**
Bierer P., see Holt A. W., **423**
Blake D, (R), **520**
Blanco I., Cardenas E., Aquilera L., Camino E., Arizaga A., Telletxea S., Serum tryptase measurement in diagnosis of intraoperative anaphylaxis caused by hydatid cyst., **489**
Block, axillary brachial plexus, in two hundred consecutive patients, Pearce H., Lindsay D., Leslie K., **453**
Block, single quadrant sub-tenon's block. Evaluation of a new local anaesthetic technique for eye surgery, Guise P. A., **241**
Blood gas status, arterial, continuous measurement of, during total hip replacement: A prospective study, Venkatesh B., Pigott D. W., Fernandez A., Hendry S. P., **334**
Blood loss, intraoperative surgical, the development of hypercoagulability state, as measured by thromboelastography, associated with, Ng K. J., Lo J. R., **20**
Blood saving methods decreases homologous blood requirements in scoliosis surgery, Lisander B., Jonsson R., Nordwall A., **555**
Blood, coagulation: effect of aprotonin on thromboelastography in vitro, Chalkiadis G. A., Gibbs N. M., **552**
Blood, coagulation: Prophylactic administration of histamine 1 and/or histamine 2 receptor blockers in the prevention of heparin-and protamine-related haemodynamic effects, Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K., **559**
Blood: Hemostasis, Transfusion, and Alternatives in the Perioperative Period, Lake C. L., Moore R. A., **291**
Blood: Haemodilution. Combination of saving methods decreases homologous blood requirements in scoliosis surgery, Lisander B., Jonsson R., Nordwall A., **555**
Blumberg L., Lee R. P., Lipman J., Beards S., Predictors of mortality in severe malaria: A two-year experience in a non-endemic area, **217**
Blythe D.,see van Heerden P. V., **564**
Bolinches R.,see Llagunes J. H., **396**
Borton C. L., (C), **725**
Bowring D., History of infection control in anaesthesia, **150**
Breathing system contamination and the efficacy of bacterial/viral filters; anaesthetic machine and, Hogarth I., **154**
Breslin A. B. X., Tuberculosis - The threat re-emerges, **176**
Brimacombe J., (C), **283**
Brocklehurst I. C., (C), **726**
Bronchoscopic insufflation in lobar atelectasis, Ntoumenopoulos G., **730**
Bronchoscopy, therapeutic fibreoptic, in critically ill patients via laryngeal mask, Llagunes J. H., Rodriguez-Hesles C., Catala J. C., Bolinches R., **396**
Brown T. C. K., see Davidson A., **97**
Brown T. C. K., see Moores C., **459**
Browne S. M., see Harrigan P. W. J., **261**
Bruelle P., see Aya A. G. M., **99**
Buckland M. R., see Myles P. S., **355**
Buckland M. R., see Myles P. S., **651**
Buckley T, (R), **519**
Buckley T, (R), **627**
Burned patient, accidental massive extravascular infusion of fluids in a, Svartling N., Haasio J., **394**
Burrow B., see Rudkin G. E., **74**
Bury L. K., see Holt A. W., **423**

Caesarean delivery, patient-controlled epidural analgesia following: A comparison of pethidine and fentanyl, Goh J. L., Evans S. F., Pavy T. J. G., **45**
Caesarean section, evaluation of a disposable device for patient-controlled analgesia after, Ngan Kee W. D., Lam K K., Twyford C. J., Gin T., **51**
Camino E., see Blanco I., **489**
Campbell R. C. H., (C), **117**
Canessa R., see Urzua J., **579**
Carbon dioxide after cerebral hypoxia, loss of cerebral pressure autoregulation and vasoreactivity to, Lillywhite N., Matta B., **91**
Carbon dioxide; gastric. A simple method for frequent monitoring of, Corke C., Prisco G., Gizycki P., Selvakumaran A., **590**
Cardenas E., see Blanco I., **489**
Cardiac valve surgery, perioperative changes of plasma endothelin-1 concentrations in patients undergoing, Huang C. H., Huang H. H., Chen T. L., Wang M. J., **342**
Cass L, (R), **131**
Cass N M, (R), **130**
Catala J. C., see Llagunes J. H., **396**
Catheter-related sepsis, Brocklehurst I. C., **726**
Catheters, central venous, revisited - infection rates and an assessment of the new fibrin analysing system brush,van Heerden P. V., Webb S. A. R., Fong S., Golledge C. L., Roberts B. L., Thompson W. R., **330**
Caudal epidural block for post-circumcision analgesia in children, comparison of subcutaneous ring block of the penis with, Irwin M. G., Cheng W., **365**
Celebioglu B., see Kanbak M., **559**
Central venous catheters revisited - infection rates and an assessment of the new Fibrin Analysing System brush,van Heerden P. V., Webb S. A. R., Fong S., Golledge C. L., Roberts B. L., Thompson W. R., **330**
Cerebral effects of propofol following bolus administration in sheep, Ludbrook G. L., Upton R. N., Grant C., Gray E. C., **26**
Cerebral effects, the brain and blood concentrations of propofol after rapid intravenous injection in sheep, and their relationship to, Ludbrook G. L., Upton R. N., Grant C., Gray E. C., **26**
Cerebral fax embolism, severe, Needham A. P., McLean A. S., Stewart D. E., **502**
Cerebral Hypoxia, loss of cerebral pressure autoregulation and vasoreactivity to carbon dioxide after, Lillywhite N., Matta B., **91**
Chalkiadis G. A., Gibbs N. M., The effect of aprotinin on thrombelastography in vitro, **552**
Chan A. M. H., see Jan G. S. K., **585**
Chan W. S., see Tsui S. L., **658**
Chapman M. H., see Rudkin G. E., **74**
Chari P., see Puri G. D., **375**
Chen T. L., see Huang C. H., **342**
Cheng W., see Irwin M. G., **365**
Cherry D, (R), **293**
Chetty M. S., Pollard B. J., Wilson A., Healy T. E. J., Rocuronium bromide in dental day case anaesthesia - a comparison with atracurium and vecuronium, **37**
Chew G., (C), **128**
Children, acute meningococcaemia: recent advances in management (with particular reference to), Kennedy N. J., Duncan A. W., **197**
Cholecystectomy, laparoscopic, as a day surgery procedure, Singleton R. J., Rudkin G. E., Osborne G. A., Watkin D. S., Williams J. A. R., **231**
Chui P. T., (C), **514**
Circuit function monitoring: Continuous renal replacement therapy in critically ill patients, Holt A. W., Bierer P., Bersten A. D., Bury L. K., Vedig A. E., **423**
Circuits, anaesthetic, disposable and autoclavable: The future is now, **173**
Circumsision analgesia in children, comparison of subcutaneous ring block of the penis with caudal epidural block for post, Irwin M. G., Cheng W., **365**
Cisapride, erythromycin and arrhythmia, Jenkins I. R., **728**
Clapin A. O. G., see Weightman W. M., **472**

Clarke G. M., see Schneider M., **647**
Clarke R. C. N., (C), **617**
Claxton M., see Rudkin G. E., **74**
Clayton D. G., see Beckmann U., **314**
Clinical Intensive Care, Hillman K., Bishop G., **733**
Clinical Transesophageal Echocardiography, Oka Y., Konstadt S. N., **626**
Coagulation, thromboelastography, effect of aprotonin on in vitro, Chalkiadis G. A., Gibbs N. M., **552**
Combination of blood-saving methods decreases homologous blood requirements in scoliosis surgery, Lisander B., Jonsson R., Nordwall A., **555**
Combined thoracic epidural and general anaesthesia, complete heart block during laparotomy under, Ng K. P., **257**
Comparison of isoflurane, halothane and fentanyl in patients with decreased ejection fraction undergoing coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzalez R., Meneses G., Irarrazaval M., Moran S., **579**
Comparison of subcutaneous ring block of the penis with caudal epidural block for post-circumcision analgesia in children, Irwin M. G., Cheng W., **365**
Complete heart block during laparotomy under combined thoracic epidural and general anaesthesia, Ng K. P., **257**
Complication of spinal anaesthesia with hyperbaric 5% lignocaine, transient radicular irritation as a complication, Albrecht A., Hogg M., Robinson S., **508**
Complications in Anesthesiology. 2nd Edition, Gravenstein N., Kirby R. R., **293**
Complications, phlebitis: Comparison of two polyurethane cannulae, Russell W. J., Micik S., Gourd S., MacKay H., Wright S., **705**
Complications: death, morbidity. Measuring anaesthetic outcomes, Lee A., Lum M. E., **685**
Compromised Perfusion, Messmer K., **732**
Contamination, anaesthetic and breathing system, and the efficacy of bacterial/viral filters, Hogarth I., **154**
Continuous measurement of arterial blood gas status during total hip replacement: A prospective study, Venkatesh B., Pigott D. W., Fernandez A., Hendry S. P., **334**
Continuous renal replacement therapy in critically ill patients: Monitoring circuit function, Holt A. W., Bierer P., Bersten A. D., Bury L. K., Vedig A. E., **423**
Cooper I. M., Morphine for postoperative analgesia. A comparison of intramuscular and subcutaneous routes of administration, **574**
Cooper M, (R), **292**
Cooper M, (R), **294**
Core Curriculum for Professional Education in Pain. Second Edition, Fields H. L., **627**
Corke C., Prisco G., Gizycki P., Selvakumaran A., A simple method for frequent monitoring of gastric carbon dioxide, **590**
Corkeron M., see van Heerden P. V., **87**
Corkeron M. A., (C), **619**
Cousins M, (R), **733**
Cover Note - Crawford Williamson Long (1815-1878), Ball C., **303**
Cramond T, (R), **131**
Crawford G. P. M., see Gibbs N. M., **11**
Creatine kinase, elevated, and masseter spasm after intravenous induction in a child, Habre W., Sims C., **496**
Critical Care Physiology, Bartlett R. H., **626**
Critical Care Standards, Audit and Ethics, Tinker J., Browne D. R. G., Sibbald W. J., **732**
Critical incident with gum elastic bougie, Baker A. B., **284**
Crothers W., (C), **402**
Crush syndrome following syncope, an unusual presentation of, Oda Y., Nomura T., Shindoh M., Nishi S., Yukioka H., Fujimori M., **389**
Cumpston P., (C), **115**
Current Review of Pain (2nd Edition), Prithvi Raj P., **518**
Currie J. S., see Yee R., **93**
Cyclizine in day-case laparoscopy, Watts S. A., **546**
Cytokines in patients with intra-abdominal sepsis, the influence of surgery on, Hammond J. M. J., Potgieter P. D., **430**

Daly J. G., (C), **617**
Datex AS3 - monitor failure, Ho S., Kolawole H., **516**
Davidson A., Brown T. C. K.,Respiratory arrest in two children following postoperative flushing of suxamethonium from the deadspace of intravenous cannulae, **97**
Day case anaesthesia, dental, rocuronium bromide in - A comparison with atracurium and vercuronium, Chetty M. S., Pollard B. J., Wilson A., Healy T. E. J., **37**
Day patients, a comparison of the efficacy of ketorolac and indomethacin for postoperative analgesia following laparoscopic surgery in, Murrell G. C., Leake T., Hughes P. J., **237**
Day surgery procedure, laparoscopic cholecystectomy as a, Singleton R. J., Rudkin G. E., Osborne G. A., Watkin D. S., Williams J. A. R., **231**
Day surgery survey, Hutchinson B. R., **624**
Day surgery units, review of efficiencies and patient satisfaction in Australia and New Zealand: A pilot study, Rudkin G. E., Bacon A. K., Burrow B., Chapman M. H., Claxton M., Donovan B., Gibb D., Weber L. S., **74**
Dearlove O. R., (C), **511**
Delivery of inhaled aerosolized prostacyclin (IAP), van Heerden P. V., Power B. M., Leonard R. C., **624**
Denborough M., (C), **725**
Denborough M., Hopkinson K. C., O'Brien R. O., Foster P. S., Overheating alone can trigger malignant hyperthermia in piglets, **348**
Dental day case anaesthesia, rocuronium bromide in - A comparison with atracurium and vercuronium, Chetty M. S., Pollard B. J., Wilson A., Healy T. E. J., **37**
Denton R., (C), **511**
Derrick J. L., (C), **115**
Disposable and autoclavable anaesthetic circuits: The future is now, Komesaroff D., **173**
Disposable device for patient-controlled analgesia after caesarean section, evaluation of a, Ngan Kee W. D., Lam K. K., Twyford C. J., Gin T., **51**
Dixon B., Ernest D., Hyponatraemia in the transurethral resection of prostate syndrome, **102**
Donald A., (C), **283**
Donovan B., see Rudkin G. E., **74**
Doolan L, (R), **291**
Dopexamine after cardiac surgery in children, haemodynamic and renal effects of, Habre W., Beghetti M., Roduit C., Girardin E., Vallotton M., Friedli B., Berner M., **435**
Downey G. B., O'Connell A. J.,Audit of unbooked paediatric post-anaesthesia admissions to intensive care, **464**
Doyle D. L., see Pavy T. J. G., **599**
Doyle P., (C), **514**
Driesen N. V., (C), **727**
Duke G J, (R), **733**
Duncan A. W., see Kennedy N. J., **197**
Dwyer D. E., Anaesthesia and emerging infectious diseases, **184**

Echocardiographic assessment of left ventricular function in the critically ill subject, McLean A. S., **60**
Editorial, Horan B., Knoblanche G., **149**
Efficacy and potency of antivenom in neutralizing the procoagulant effects of Australian snake venoms in dog and human plasma, Sprivulis P., Jelinek G. A., Marshall L., **379**
Eledjam J. J., see Aya A. G. M., **99**
EMLA and glyceryl trinitrate ointment, the application of, prior to venepuncture, Michael A., Andrew M., **360**
Embolism, severe cerebral fat, Needham A. P., McLean A. S., Stewart D. E., **502**
Emergency ventilation in a child using the suction port of an Ayre's T-piece, Denton R., Dearlove O. R., **511**
Endothelin-1, plasma, concentrations in patients undergoing cardiac valve surgery, perioperative changes of, Huang C. H., Huang H. H., Chen T. L., Wang M. J., **342**

Englung R., see Jacques T., **15**
Enoxaparin (Clexane) HITS, James J. K., **283**
Enoxaparin (Clexane) HITS, Watters M., **616**
Epidural and subarachnoid anaesthesia, attitudes and practices of New Zealand anaesthetists with regard to, Rodgers A., Sage D., Futter M., MacMahon S., **79**
Epidural steroids for sciatica, McQuay H. J., Moore A., **284**
Equipment: Monitors, alarms. Response times to visual and auditory, Morris R. W., Montano S. R., **682**
Equipment; cannula: polyurethane. Comparison of two intravenous cannulae, Russell W. J., Micik S., Gourd S., MacKay H., Wright S., **705**
Ercan S., see Kanbak M., **559**
Erdem K., see Kanbak M., **559**
Ernest D., see Dixon B., **102**
Esmolol, use of, during intraoperative atrioventricular rhythm, James M. F. M., Thomas H. M., **492**
Essentials of Anaesthetic Equipment, Al-Shaikh B., Stacey S., **290**
Evaluation of a disposable device for patient-controlled epidural analgesia after caesarean section, Ngan Kee W. D., Lam K. K., Twyford C. J., Gin T., **51**
Evans S. F., see Goh J. L., **45**
Eye surgery, single quadrant sub-tenon's block. Evaluation of a new local anaesthetic technique for, Guise P. A., **241**

Fatal hepatic necrosis following cardiac surgery and enflurane anaesthesia, Schneider M., **289**
Fatal side-effects of continuous propofol infusion in children may be related to malignant hyperthermia, Plotz F. B., Waalkens H. J., Verkade H. J., Strengers J. L. M., Knoester H., Mandema J. M., **724**
Faulty laryngeal mask, Handsworth J. L., **728**
Fee J. P. H., (C), **121**
Fentanyl, isoflurane and halothane in patients with decreased ejection fraction undergoing coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**
Ferguson S., Angioedema following prilocaine, **398**
Fernandez A., see Venkatesh B., **334**
Fernandez J. A., see Yee R., **601**
Ferrer J. M., see Aya A. G. M., **99**
Fibreoptic bronchoscopy, therapeutic, in critically ill patients via laryngeal mask, Llagunes J. H., Rodriguez-Hesles C., Catala J. C., Bolinches R., **396**
Fibreoptic examination, intraoperative, tumour fragment in the airway detected by, Sakura S., Nomura T., Uchida H., **265**
Fibrin analysing system brush, the, infection rates and an assessment of - central venous catheters revisited, van Heerden P. V., Webb S. A. R., Fong S., Golledge C. L., Roberts B. L., Thompson W. R., **330**
Finfer S., Rocker G., Alveolar overdistension is an important mechanism of persistent lung damage following severe protracted ARDS, **569**
Fisher M, (R), **732**
Fitzpatrick A. J., (C), **122**
Fitzsimmons K., (C), **623**
Flumazenil reverses paradoxical reaction to midazolam in a child, Thakker P., Gallagher T. M., **505**
Flushing of suxamethonium, postoperative, from the deadspace of intravenous cannulae, respiratory arrest in two children following, Davidson A., Brown T. C. K., **97**
Fong S., see van Heerden P. V., **330**
Foster P. S., see Denborough M., **348**
Foster R. N., (C), **615**
Fox M. A., see Nor N. B. M., **483**
Friedli B., see Habre W., **435**
Fujii Y., Tanaka H., Toyooka H., Intraoperative ventilation with air and oxygen during laparoscopic cholecystectomy decreases the degree of postoperative hypoxaemia, **42**
Fujimori M., see Oda Y., **389**
Fundamentals of Anaesthesia and Acute Medicine: Cardiovascular Physiology, Priebe H. J., Skarvan K., **627**
Fung C. F., see Hiong Y. T., **609**
Futter M., see Rodgers A., **79**
Futter M., see Baird M. B., **486**

Gallagher T. M., see Thakker P., **505**
Garden A. L., Merry A. F., Holland R., Petrie K., Anaesthesia information - what patients want to know, **594**
Gibb D, (R), **625**
Gibb D., see Jacques T., **15**
Gibb D., see Rudkin G. E., **74**
Gibbs N. M., see Weightman W. M., **472**
Gibbs N. M., see Chalkiadis G. A., **552**
Gibbs N. M., Crawford G. P. M., Michalopoulos N., A comparison of postoperative thrombotic potential following abdominal aortic surgery, carotid endarterectomy, and femoro-popliteal bypass, **11**
Gibson J., (C), 726
Gibson S., (C), **724**
Gill N., (C), **284**
Gilligan J. E., Goon P., Maughan G., Griggs W., Haslam R., Scholten A., An airborne intensive care facility (fixed wing), **245**
Gin T., see Ngan Kee W. D., **51**
Girardin E., see Habre W., **435**
Gizycki P., see Corke C., **590**
Glyceryl trinitrate ointment and EMLA, the application of, prior to venepuncture, Michael A., Andrew M., **360**
Goh J. L., Evans S. F., Pavy T. J. G.,Patient-controlled epidural analgesia following caesarean section. A comparison of pethidine and fentanyl, **45**
Goldblatt M., (C), **615**
Golledge C. L., see van Heerden P. V., **330**
Gomersall C. D., (C), **120**
Gonzalez R., see Urzua J., **579**
Goon P., see Gilligan J., **245**
Goucke C. R., (C), **288**
Goucke R, (R), **130**
Gourd S., see Russell W. J., **705**
Grace R., (C), **126**
Grange C., (C), **514**
Grant C., see Ludbrook G. L., **26**
Grant C., see Ludbrook G. L., **445**
Grant G. C., (C), **517**
Gray E. C., see Ludbrook G. L., **26**
Gray E. C., see Ludbrook G. L., **445**
Griggs W., see Gilligan J., **245**
Groombridge G. J., see Beckmann U., **314**
Grunstein R., (C), **122**
Guedel oropharyngeal airway does not prevent patient biting on the endotracheal tube, King H. K., Lewis K., **729**
Guise P. A., Single quadrant sub-tenon's block: Evaluation of a new local anaesthetic technique for eye surgery, **241**
Gujral J. S., see Puri G. D., **375**
Gurnani A., Sharma P. K., Rautela R. S., Bhattacharya A., Analgesia for acute musculoskeletal trauma: Low-dose subcutaneous infusion of ketamine, **32**
Gutteridge G, (R), **292**
Gutteridge G, (R), **626**

Haasio J., see Svartling N., **394**
Habre W., Beghetti M., Roduit C., Girardin E., Vallotton M., Friedli B., Berner M., Haemodynamic and renal effects of dopexamine after cardiac surgery in children, **435**
Habre W., Sims C., Masseter spasm and elevated creatine kinase after intravenous induction in a child, **496**
Haemodynamic and renal effects of dopexamine after cardiac surgery in children, Habre W., Beghetti M., Roduit C., Girardin E., Vallotton M., Friedli B., Berner M., **435**
Halothane, isoflurane and fentanyl in patients with decreased ejection fraction undergoing coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval

M., Moran S., **579**
Hammond J. M. J., Potgieter P. D., The influence of surgery on cytokines in patients with intra-abdominal sepsis, **430**
Handbook of Neonatal Anaesthesia,Hughes D. G., Mather S. J., Wolf A. R., **625**
Handbook of Pharmacology and Physiology in Anesthetic Practice, Stoelting R. K., **734**
Handel J., (C), **127**
Handsworth J. L., (C), **728**
Hanna J., Loewenthal M., Negel P., Wenck D., An outbreak of hepatitis A in an intensive care unit, **440**
Harding J. E., see Harding J. N., **500**
Harding J. N., Rosenfeld J. V., Harding J. E., Intracranial pressure monitoring in an Australian military hospital, **500**
Hariwir S., see Puri G. D., **375**
Harrigan P. W. J., Browne S. M., Quail A. W., Multiple seizures following re-exposure to propofol, **261**
Harrison J. (R), **292**
Hart G. K., see Beckmann U., **314**
Hart G. K., see Beckmann U., **320**
Haslam R., see Gilligan J., **245**
Healy T. E. J., see Chetty M. S., **37**
Heart block, complete, during laparotomy under combined thoracic epidural and general anaesthesia, Ng K. P., **257**
Hee G., see van Heerden P. V., **87**
Hellings M. J., (C), **613**
Hemochron, Hemotec and APTT for the detection of low concentrations of heparin, sensitivity and specificity of the,Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., **472**
Hemotec, Hemochron and APTT for the detection of low concentrations of heparin, sensitivity and specificity of the, Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., **472**
Hendrata M., see Myles P. S., **355**
Hendry S. P., see Venkatesh B., **334**
Heparin, sensitivity and specificity of the hemochron and APTT for the detection of low concentrations of, Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., **472**
Heparin; protein-related haemodynamic effects. Prophylactic administration of histamine-1 and histamine-2 receptor blockers in the prevention of, Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K., **559**
Hepatitis A in an intensive care unit, an outbreak of, Hanna J., Loewenthal M., Negel P., Wenck D., **440**
Hepatitis C, Liddle C., **180**
Hepatitis C and anaesthetic breathing systems, Grange C., **514**
Hepatitis C nosocomial infection, revision of anaesthetic aspects of an infection control policy following reporting of, Knoblanche G., **169**
HIV, screening for: Ratios, risks and rationality, Jones M. E., **191**
Hill A. A., see Torrie J., **368**
Hiong Y. T., Fung C. F., Sudhaman D. A., Arytenoid subluxation: Implications for the anaesthetist, **609**
Histamine-1 and-2. Prophylactic administration in cardiovascular surgery, Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K., **559**
History of infection control in anaesthesia, Bowring D., **150**
Ho S., (C), **516**
Hobbes A, (R), **290**
Hogarth I.,Anaesthetic machine and breathing system contamination and the efficacy of bacterial/viral filters, **154**
Hogg M., see Albrecht A., **508**
Holland J., see Priestley G. S., **710**
Holland R., see Garden A. L., **594**
Holland R., (C), **619**
Hopkinson K. C., see Denborough M., **348**
Horan B, (R), **404**
Horan B. F., see Warden J. C., **66**
Horan B. F., Warden J. C.,Urgent non-emergency surgery and death attributable to anaesthetic factors, **694**
Horan B., Knoblanche G., Editorial, **149**
Huang C. H., Huang H. H., Chen T. L., Wang M. J., Perioperative changes of plasma endothelin-1 concentrations in patients undergoing cardiac valve surgery, **342**
Huang H. H., see Huang C. H., **342**
Hughes P., (C), **286**
Hughes P. J., see Murrell G. C., **237**
Hui T. W. C., see Jan G. S. K., **585**
Humane Medicine, Little M., **404**
Hunt J. O., see Myles P. S., **651**
Hutchinson B. R., (C), **624**
Hydatid cyst, serum tryptase measurement in diagnosis of intraoperative anaphylaxis caused by, Blanco I., Cardenas E., Aquilera L., Camino E., Ariza A., Telletxea S., **489**
Hyde P. R., see Yee R., **93**
Hypercoagulability state, as measured by thromboelastography, associated with intraoperative surgical blood loss, the development of, Ng K. J., Lo J. R., **20**
Hyponatraemia in the transurethral resection of prostate syndrome, Ihle B. U., **402**
Hyponatraemia in the transurethral resection of prostate syndrome, Dixon B., Ernest D., **102**
Hypothermia, induced, in intensive care, Bernard S., **382**
Hypoxaemia, postoperative, intraoperative ventilation with air and oxygen during, decreases the degree of postoperative hypoxaemia, Fujii Y., Tanaka H., Toyooka H., **42**
Hypoxaemia, severe, inhaled aerosolized prostacyclin as a selective vasodilator for the treatment of, van Heerden P. V., Webb S. A. R., Hee G., Corkeron M., Thompson W. R., **87**

Ihle B. U., (C), **402**
Ilsley A H, (R), **132**
Ilsley A H, (R), **628**
Incident monitoring study in intensive care, the Australian: AIMS-ICU. The development and evaluation of an incident reporting system in intensive care, Beckmann U., West L. F., Groombridge G. J., Baldwin I., Hart G. K., Clayton D. G., Webb R. K., Runciman W. B., **314**
Incident monitoring study in intensive care, the Australian: AIMS-ICU. An analysis of the first year of reporting, Beckmann U., Baldwin I., Hart G. K., Runciman W. B., **320**
Incident reporting in continuous quality improvement in the intensive care setting, the role of, Beckmann U., Runciman W. B., **311**
Indomethacin and ketorolac for postoperative analgesia following laparoscopic surgery in day patients, a comparison of the efficacy of, Murrell G. C., Leake T., Hughes P. J., **237**
Induced hypothermia in intensive care medicine, Bernard S., **382**
Induction stand, Lim W., Hellings M. J., **613**
Infection control, Holland R., **619**
Infection control in anaesthesia, history of, Bowring D., **150**
Infection control policy following reporting of Hepatitis C nosocomial infection, revision of the anaesthesia aspects of an, Knoblanche G., **169**
Infection rates and an assessment of the new fibrin analysing system brush - central venous catheters revisited, van Heerden P. V., Webb S. A. R., Fong S., Golledge C. L., Roberts B. L., Thompson W. R., **330**
Infection: Legionella longbeachae in ARDS, Konecny P., Bell A. J., **678**
Infection: Pseudomonas stutzeri associated with bullous skin eruption, Priestley G. S., Holland J., Marsh B., Wilson R., **710**
Infectious diseases, anaesthesia and emerging, Dwyer D. E., **184**
Inhaled aerosolized prostacyclin and nitric oxide as selective pulmonary vasodilators in ARDS - A pilot study, van Heerden P. V., Blythe D., Webb S. A. R., **564**
Inhaled aerosolized prostacyclin as a selective pulmonary vasodilator for the treatment of severe hypoxaemia, van Heerden P. V., Corkeron M., Webb S. A. R., Hee G., Thompson W. R., **87**
Inhaled prostacyclin (PGI2) versus nitric oxide (NO), Tibballs J., **515**

Inhaled prostacyclin as a selective pulmonary vasodilator, Doyle P., Swart M., Kong A., **514**
Intensive Care Medicine - Vols I and II, Rippe J. M., Irwin R. S., Fink M. P., Cerra F. B., **519**
Intensive care facility (fixed wing), an airborne, Gilligan J., Goon P., Maughan G., Griggs W., Haslam R., Scholten A., **245**
InterLinkTM and the lever lock cannula - potential flow reduction, McHugh G. J., **512**
Intracranial pressure monitoring in an Australian military hospital, Harding J. N., Rosenfeld J. V., Harding J. E., **500**
Intraoperative ventilation with air and oxygen during laparoscopic cholecystectomy decreases the degree of postoperative hypoxaemia, Fujii Y., Tanaka H., Toyooka H., **42**
Intubation after temporal fossa surgery, Saady A., **401**
Intubation without muscle relaxant: An alternative technique for rapid tracheal intubation, Wong A. K. H., Teoh G. S., **224**
Iqbal S., (C), **116**
Irarrazaval M., see Urzua J., **579**
Ireland R., (C), **401**
Irwin M., see Tsui S. L., **658**
Irwin M. G., Cheng W.,Comparison of subcutaneous ring block of the penis with caudal epidural block for post-circumcision analgesia in children, **365**
Isoflurane, halothane and fentanyl in patients with decreased ejection fraction undergoing coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**

Jacques T., Morris R., Lalak N., Englung R., Gibb D., An assessment of tonometry and regional splanchnic blood flow during aortic cross-clamping in the pig, **15**
James J., (C), **617**
James J. K., (C), **283**
James M. F. M., Thomas H. M.,Use of esmolol during intraoperative atrioventricular rhythm, **492**
Jan G. S. K., Tong W. N., Chan A. M. H., Hui T. W. C., Lo J. W. R., Recovery from mivacurium block with or without anticholinesterase following continuous infusion in obstetric patients, **585**
Jelinek G. A., see Sprivulis P., **379**
Jenkins I. R., (C), **728**
John Snow: Anaesthetist to a Queen and Epidemiologist to a Nation. A Biography, Shephard D. A. E., **292**
Johnson C. M., (C), **402**
Jones D., (C), **115**
Jones M. E., Screening for HIV: Ratios, risks and rationality, **191**
Jonsson R., see Lisander B., **555**
Joynt G. M., (C), **120**

Kahraman S., see Kanbak M., **559**
Kalapac S., (C), **283**
Kanagasundaram S., see Anderson B. J., **669**
Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K.,Prophylactic administration of histamine 1 and/or histamine 2 receptor blockers in the prevention of heparin-and protamine-related haemodynamic effects, **559**
Kelly K., (C), **724**
Kennedy N. J., Duncan A. W.,Acute meningococcaemia: Recent advances in management (with particular reference to children), **197**
Kerridge R, (R), **520**
Ketamine, low-dose subcutaneous infusion of: Analgesia for acute musculosketal trauma, Gurnani A., Sharma P. K., Rautela R. S., Bhattacharya A., **32**
Ketorolac and indomethacin for postoperative analgesia following laparoscopic surgery in day patients, a comparison of the efficacy of, Murrell G. C., Leake T., Hughes P. J., **237**
Kidney: failure in cardiac surgical patients, potentiated by gentamicin and calcium, Schneider M., Valentine S., Clarke G. M., Newman M. A. J., Peacock J., **647**
King H. K., (C), **729**
Kinnear S. B., A survey of anaesthetic manpower and training in the south-west pacific region, **477**
Knight G, (R), **732**
Knoblanche G.,Revision of the anaesthetic aspects of an infection control policy following reporting of hepatitis C nosocomial infection, **169**
Knoblanche G., see Horan B., **149**
Knoester H., (C), 724
Knudsen K. E., see Liu G., **714**
Kolawole H., (C), **516**
Komesaroff D., Disposable and autoclavable anaesthetic circuits: The future is now, **173**
Konecny P., Bell A. J., Positive serology to legionella longbeachae in patients with severe adult respiratory distress syndrome, **678**
Kong A., (C), **514**
Kuyioka H., see Oda Y., **389**
Kwan A.,Morphine overdose from patient-controlled analgesia pumps, **254**

Lalak N., see Jacques T., **15**
Lam K. K., see Ngan Kee W. D., **51**
Lamb F. J., (C), **123**
Langley M., see Myles P. S., **355**
Laparoscopic cholecystectomy as a day surgery procedure, Singleton R. J., Rudkin G. E., Osborne G. A., Watkin D. S., Williams J. A. R., **231**
Laparoscopic cholecystectomy, intraoperative ventilation with air and oxygen during, decreases the degree of postoperative hypoxaemia, Fujii Y., Tanaka H., Toyooka H., **42**
Laparoscopic nissen fundoplication, pneumothorax during, Yee R., Hyde P. R., Currie J. S., **93**
Laparotomy under combined thoracic epidural and general anaesthesia, complete heart block during, Ng K. P., **257**
Laryngeal mask biopsy, Kalapac S., Donald A., Brimacombe J., **283**
Laryngeal mask, therapeutic fibreoptic bronchoscopy in critically ill patients via, Llagunes J. H., Rodriguez-Hesles C., Catala J. C., Bolinches R., **396**
Larynx, subluxation: anaesthesia complications, Hiong Y. T., Fung C. F., Sudhaman D. A., **609**
Lavery G. G., (C), **121**
Lawrence J, (R), **132**
Leake T., see Murrell G. C., **237**
Lee A., Lum M. E., Measuring anaesthetic outcomes, **685**
Lee R, (R), **519**
Lee R. P., see Blumberg L., **217**
Lefrant J. Y., see Aya A. G. M., **99**
Left ventricular function, echocardiography assessment of, in the critically ill, McLean A. S., **60**
Lema G., see Urzua J., **579**
Leonard R. C., (C), **624**
Leslie K., see Pearce H., **453**
Lewer B. M. F., Torrance J. M.,Anaesthesia for a patient with a mediastinal mass presenting with acute stridor, **605**
Lewis K., (C), **729**
Lewis R. H., (C), **727**
Lewis S. B., (C), **124**
Liddle C., Hepatitis C, **180**
Life-threatening airway obstruction from nitrous oxide induced frostbite of oral cavity, Svartling N., Ranta S., Vuola J., Takkunen O., **717**
Lignocaine, hyperbaric 5%, transient radicular irritation as a complication of spinal anaesthesia with, Albrecht A., Hogg M., Robinson S., **508**
Lillywhite N., Matta B., Loss of cerebral pressure autoregulation and vasoreactivity to carbon dioxide after cerebral hypoxia, **91**
Lim W., (C), **613**
Lindsay D., see Pearce H., **453**
Lipman J., see Blumberg L., **217**
Lisander B., Jonsson R., Nordwall A., Combination of blood-saving methods decreases homologous blood requirements in scoliosis surgery, **555**

Little T, (R), **404**
Little T, (R), **627**
Liu G., Knudsen K. E., Secher N. H.,Orthotopic liver transplantation in a patient with primary pulmonary hypertension, **714**
Liver, transplantation orthotopic, in primary pulmonary hypertension, Liu G., Knudsen K. E., Secher N. H., **714**
Llagunes J. H., Rodriguez-Hesles C., Catala J. C., Bolinches R., Therapeutic fibreoptic bronchoscopy in critically ill patients via laryngeal mask, **396**
LMA failure: Reply, Crothers W., **402**
Lo J. R., see Ng K. J., **20**
Lo J. R., see Tsui S. L., **658**
Lo J. W. R., see Jan G. S. K., **585**
Loewenthal M., see Hanna J., **440**
Loss of cerebral pressure autoregulation and vasoreactivity to carbon dioxide after cerebral hypoxia, Lillywhite N., Matta B., **91**
Lowry K. G., (C), **121**
Ludbrook G. L., Upton R. N., Grant C., Gray E. C., Cerebral effects of propofol following bolus administration in sheep, **26**
Ludbrook G. L., Upton R. N., Grant C., Gray E. C., The brain and blood concentrations of propofol after rapid intravenous injection in sheep, and their relationships to cerebral effects, **445**
Lum M. E., see Lee A., **685**
Lung damage following severe protracted ARDS. Alveolar overdistension is an important mechanism of persistent, Finfer S., Rocker G., **569**
Lung: ARDS: inhaled aerosolized prostacyclin and nitric oxide in, van Heerden P. V., Blythe D., Webb S. A. R., **564**
Lynch J., Pardy J., Uterine rupture and scar dehiscence: A five-year survey, **699**

MacKay H.,see Russell W. J., **705**
Mackay P ,(R), **404**
Mackay P., (C), **125**
MacMahon S., see Rodgers A., **79**
Malagon I., (C), **123**
Malaria, severe, predictors of: A two-year experience in a non-endemic area, Blumberg L., Lee R. P., Lipman J., Beards S., **217**
Malignant hyperthermia, Borton C. L., **725**
Malignant hyperthermia in piglets, overheating alone can trigger, Denborough M., Hopkinson K. C., O'Brien R. O., Foster P. S., **348**
Mandema J. M., (C), **724**
Manpower and training in the south-west Pacific region, a survey of anaesthetic, Kinnear S. B., **477**
Marsh B., see Priestley G. S., **710**
Marshall L., see Sprivulis P., **379**
Masseter spasm and elevated creatine kinase after intravenous induction in a child, Habre W., Sims C., **496**
Matta B., see Lillywhite N., **91**
Maughan G., see Gilligan J., **245**
McHugh G. J., (C), **512**
McIntyre A., (C), **115**
McKenzie I, (R), **625**
McKenzie I. M., see Moores C., **459**
McLaren P. J., (C), **284**
McLean A. S., Echocardiographic assessment of left ventricular function in the critically ill subject, **60**
McLean A. S., see Needham A. P., **502**
McQuay H. J., (C), **284**
McRae R., see Myles P. S., **651**
Measuring anaesthetic outcomes, Lee A., Lum M. E., **685**
Meneses G., see Urzua J., **579**
Meningococcaemia, acute: Recent advances in management (with particular reference to children), Kennedy N. J., Duncan A. W., **197**
Merry A. F., see Garden A. L., **594**
Metcalfe I. R., see Nor N. B. M., **483**
Metoclopramide in day-case laparoscopy, Watts S. A., **546**
Meyer R. J., see Schwager K. L., **674**
MH piglets: Reply, Denborough M., **725**
Michael A., Andrew M., The application of EMLA and glyceryl trinitrate ointment prior to venepuncture, **360**
Michalopoulos N., see Gibbs N. M., **11**
Michalopoulos N., see Weightman W. M., **472**
Micik S., see Russell W. J., **705**
Midazolam in a child, flumazenil reverses paradoxical reaction to, Thakker P., Gallagher T. M., **505**
Military hospital, Australian, intracranial pressure monitoring in an,Harding J. N., Rosenfeld J. V., Harding J. E., **500**
Miller O. I., (C), **127**
Mivacurium apnoea, Ireland R., **401**
Mivarucium, anaphylaxis to, Baird M. B., Futter M., **486**
Mochloulis G., (C), **617**
Monitoring circuit function: Continuous renal replacement therapy in critically ill patients, Holt A. W., Bierer P., Bersten A. D., Bury L. K., Vedig A. E., **423**
Monitoring, anaesthesia. Response times to visual and auditory alarms, Morris R. W., Montano S. R., **682**
Monitoring, intracrancial pressure, in an Australian military hospital, Harding J. N., Rosenfeld J. V., Harding J. E., **500**
Montano S. R., see Morris R. W., **682**
Montgomery P. Q., (C), **617**
Moore A., (C), **284**
Moores C., Rogers J. G., McKenzie I. M., Brown T. C. K., Anaesthesia for children with mucopolysaccharidoses, **459**
Moran S., see Urzua J., **579**
Morley A. D., (C), **287**
Morley H., (C), **620**
Morphine for postoperative analgesia. A comparison of intramuscular and subcutaneous routes of administration, Cooper I. M., **574**
Morphine overdose from patient-controlled analgesia pumps, Kwan A., **254**
Morris R., see Jacques T., **15**
Morris R. W., Montano S. R., Response times to visual and auditory alarms during anaesthesia, **682**
Morrow B., (C), **617**
Mortality in severe malaria, predictors of mortality in: A two-year experience in a non-endemic area, Blumberg L., Lee R. P., Lipman J., Beards S., **217**
Mucopolysaccaridoses, anaesthesia for children with, Moores C., Rogers J. G., McKenzie I. M., Brown T. C. K., **459**
Multiple seizures following re-exposure to propofol, Harrigan P. W. J., Browne S. M., Quail A. W., **261**
Murrell G. C., (C), **286**
Murrell G. C., Leake T., Hughes P. J., A comparison of the efficacy of ketorolac and indomethacin used for postoperative analgesia following laparoscopic surgery in day patients, **237**
Muscle relaxant, intubation without: An alternative technique for rapid tracheal intubation, Wong A. K. H., Teoh G. S., **224**
Musculoskeletal trauma, acute, analgesia for: Low dose subcutaneous infusion of ketamine, Gurnani A., Sharma P. K., Rautela R. S., Bhattacharya A., **32**
Myburgh J. A., (C), **124**
Myles P, (R), **626**
Myles P. S., Hendrata M., Bennett A. M., Langley M., Buckland M. R., Postoperative nausea and vomiting. Propofol or thiopentone: Does choice of induction agent affect outcome, **355**
Myles P. S., McRae R., Ryder I., Hunt J. O., Buckland M. R., The association between oxygen delivery and consumption in patients undergoing cardiac surgery. Is there supply dependence?, **651**

Nausea and vomiting, postoperative. Propofol or thiopentone: Does choice of induction agent affect outcome, Myles P. S., Hendrata M., Bennett A. M., Langley M., Buckland M. R., **355**
Needham A. P., McLean A. S., Stewart D. E., Severe cerebral fat embolism, **502**
Needleless and sharp-free anaesthesia, Tomkins D. P., van der Walt

J. H., **164**
Negel P., see Hanna J., **440**
Neuromuscular Block, Feldman S., **734**
Neuromuscular relaxants: mivacurium with or without anticholinesterase following continuous infusion in obstetric patients, Jan G. S. K., Tong W. N., Chan A. M. H., Hui T. W. C., Lo J. W. R., **585**
New Zealand anaesthetists, attitudes and practices of, with regard to epidural and subarachnoid anaesthesia, Rodgers A., Sage D., Futter M., MacMahon S., **79**
Newcombe G, (R), **518**
Newman M. A. J., see Schneider M., **647**
Ng K. F. J., see Tsui S. L., **658**
Ng K. J., Lo J. R., The development of hypercoagulability state as measured by thromboelastography, associated with intraoperative surgical blood loss, **20**
Ng K. P., Complete heart block during laparotomy under combined thoracic epidural and general anaesthesia, **257**
Ngan Kee W. D., Lam K. K., Twyford C. J., Gin T., Evaluation of a disposable device for patient-controlled epidural analgesia after caesarean section, **51**
Nicardipine, accidental overdosage with serious maternal or neonatal consequence, Aya A. G. M., Bruelle P., Lefrant J. Y., Saissi G., Ferrer J. M., Eledham J. J., **99**
Nikolic G.,see Sundaram R. K.,392
Nishi S., see Oda Y., **389**
Nissen fundoplication, pneumothorax during laparoscopic, Yee R., Hyde P. R., Currie J. S., **93**
Nitric oxide: and inhaled aerosolized prostacyclin in ARDS, van Heerden P. V., Blythe D., Webb S. A. R., **564**
Nitrous oxide: airway obstruction induced by, Svartling N., Ranta S., Vuola J., Takkunen O., **717**
Nomura T., see Sakura S., **265**
Nomura T., see Oda Y., **389**
Nor N. B. M., Fox M. A., Metcalfe I. R., Russell W. J., The taste of intravenous thiopentone, **483**
Nordwall A., see Lisander B., **555**
Ntoumenopoulos G., (C), **730**

O'Brien R. O., see Denborough M., **348**
O'Connell A. J., see Downey G. B., **464**
Oda Y., Nomura T., Shindoh M., Nishi S., Kuyioka H., Fujimori M., An unusual presentation of crush syndrome following syncope, **389**
Odeh M., (C), **126**
Official painting of the 11th World Congress of Anaesthesiologists, Purcell G., **141**
Oliven A., (C), **126**
Ondansetron in day-case laparoscopy, Watts S. A., **546**
One Grand Chain. The History of Anaesthesia in Australia 1846 - 1962, Wilson G., **294**
Ophthalmic Anaesthesia. A Practical Handbook, Smith G. B., Hamilton R. C., Carr C. A., **520**
Orthotopic liver transplantation in a patient with primary pulmonary hypertension, Liu G., Knudsen K. E., Secher N. H., **714**
Osborne G. A., see Singleton R. J., **231**
Outcome Measures in Trauma, Pynsent P. B., Fairbank J. C. T., Carr A. J., **291**
Overdosage, accidental nicardipine, without serious maternal or neonatal consequence, Aya A. G. M., Bruelle P., Lefrant J. Y., Saissi G., Ferrer J. M., Eledham J. J., **99**
Overdose, morphine, from patient-controlled analgesia pumps, Kwan A., **254**
Overheating alone can trigger malignant hyperthermia in piglets, Denborough M., Hopkinson K. C., O'Brien R. O., Foster P. S., **348**
Overton J, (R), **294**
Overton J, (R), **628**
Overton J, (R), **732**
Owen H, (R), **405**
Owen H, (R), **518**
Oxygen: delivery and uptake. Association in patients undergoing cardiac surgery, Myles P. S., McRae R., Ryder I., Hunt J. O., Buckland M. R., **651**

Pacific region, south-west, A survey of anaesthetic manpower and training in the, Kinnear S. B., **477**
Paediatric laryngoscope blade failure, Gibson S., Kelly K., **724**
Paediatric post-anaesthesia admissions to intensive care, audit of unbooked, Downey G. B., O'Connell A. J., **464**
Pain: phantom limb, prevention of by infusion of local anesthetic into sciatic nerve, Pavy T. J. G., Doyle D. L., **599**
Palmer T. E. A., The Journal and the World Wide Web, **537**
Pardy J., see Lynch J., **699**
Patient actuation of PCA, McLaren P. J., Gill N., **284**
Patient satisfaction in Australian and New Zealand day surgery units, review of efficiencies and: A pilot study, Rudkin G. E., Bacon A. K., Burrow B., Chapman M. H., Claxton M., Donovan B., Gibb D., Weber L. S., **74**
Patient-controlled analgesia pumps, morphine overdose from, Kwan A., **254**
Patient-controlled epidural analgesia after caesarean section, evaluation of a disposable device for, Ngan Kee W. D., Lam K. K., Twyford C. J., Gin T., **51**
Patient-controlled epidural analgesia following caesarean section. A comparison of pethidine and fentanyl, Goh J. L., Evans S. F., Pavy T. J. G., **45**
Pavy T. J. G., see Goh J. L., **45**
Pavy T. J. G., (C), **619**
Pavy T. J. G., Doyle D. L., Prevention of phantom limb pain by infusion of local anaesthetic into the sciatic nerve, **599**
PCEA after caesarean section, evaluation of a disposable device for, Ngan Kee W. D., Lam K. K., Twyford C. J., Gin T., **51**
PCEA following caesarean dlievery: A comparison of pethidine and fentanyl, Goh J. L., Evans S. F., Pavy T. J. G., **45**
PDA ligation, respiratory variables during thoracotomy for, Puri G. D., Hariwir S., Chari P., Gujral J. S., **375**
Peacock J., see Schneider M., **647**
Pearce H., Lindsay D., Leslie K., Axillary brachial plexus block in two hundred consecutive patients, **453**
Percutaneous dilational tracheostomy - a clinical study evaluating two systems, van Heerden P. V., Webb S. A. R., Power B. M., Thompson W. R., **56**
Perioperative changes of plasma endothelin-1 concentrations in patients undergoing cardiac valve surgery, Huang C. H., Huang H. H., Chen T. L., Wang M. J., **342**
Pethidine and fentanyl, a comparison of: Patient-controlled epidural analgesia following caesarean delivery, Goh J. L., Evans S. F., Pavy T. J. G., **45**
Petrie K., see Garden A. L., **594**
Phantom limb pain, Baylis R. J. H., Stannard C. F., **288**
Phantom limb pain: Reply, Goucke C. R., **288**
Pigott D. W., see Venkatesh B., **334**
Plotz F. B., (C), **724**
Pneumothorax during laparoscopic nissen fundoplication, Yee R., Hyde P. R., Currie J. S., **93**
Pollard B. J., see Chetty M. S., **37**
Poon M., (C), **514**
Positive airway pressure, continuous, successful treatment of post-extubation stridor by, Sundaram R. K., Nikolic G., **392**
Positive serology to Legionella longbeachae in patients with severe adult respiratory distress syndrome, Konecny P., Bell A. J., **678**
Postoperative nausea and vomiting. Propofol or thiopentone: Does choice of induction agent affect outcome, Myles P. S., Hendrata M., Bennett A. M., Langley M., Buckland M. R., **355**
Potgieter P. D., see Hammond J. M. J., **430**
Power B. M., see van Heerden P. V., **56**
Power B. M., (C), **624**
Power L., (C), **117**
Predictors of mortality in severe malaria: A two-year experience in a non-endemic area, Blumberg L., Lee R. P., Lipman J., Beards

S., **217**
Prevention of phantom limb pain by infusion of local anaesthetic into the sciatic nerve, Pavy T. J. G., Doyle D. L., **599**
Priestley G., (C), **117**
Priestley G. S., Holland J., Marsh B., Wilson R., Pseudomonas stutzeri septicaemia in association with a bullous skin eruption, **710**
Prilocaine, angioedema following, Ferguson S., **398**
Primer of Intraoperative Neurophysiologic Monitoring, Russell G. B., Rodichok L. D., 292
Prisco G., see Corke C., 590
Proceedings of the 7th World Congress on Pain: Progress in Pain Research and Management - Volume 2, Gebhart G. F., **290**
Procoagulant effects of Australian snake venoms in dog and human plasma, efficacy and potency of antivenoms in neutralizing the, Sprivulis P., Jelinek G. A., Marshall L., **379**
Profound respiratory depression with morphine patient-controlled analgesia in an elderly patient, Morley A. D., **287**
Prophylactic administration of histamine 1 and/or histamine 2 receptor blockers in the prevention of heparin-and protamine-related haemodynamic effects, Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K., **559**
Propofol and thiopentone. Postoperative nausea and vomiting: Does choice of induction agent affect outcome, Myles P. S., Hendrata M., Bennett A. M., Langley M., Buckland M. R., **355**
Propofol, cerebral effects of, following bolus administration in the sheep, Ludbrook G. L., Upton R. N., Grant C., Gray E. C., **26**
Propofol, multiple seizures following re-exposure to, Harrigan P. W. J., Browne S. M., Quail A. W., **261**
Propofol, the brain and blood concentrations, after rapid intravenous injection in sheep, and their relationships to cerebral effects, Ludbrook G. L., Upton R. N., Grant C., Gray E. C., **445**
Prostacyclin, inhaled aerosolized, as a selective pulmonary vasodilator for the treatment of severe hypoxaemia, van Heerden P. V., Webb S. A. R., Hee G., Corkeron M., Thompson W. R., **87**
Prostacyclin: inhaled aerosolized and nitric oxide in ARDS, van Heerden P. V., Blythe D., Webb S. A. R., **564**
Prostate syndrome, hyponatraemia in the transurethral resection of, Dixon B., Ernest D., **102**
Pseudomonas stutzeri septicaemia in association with a bullous skin eruption, Priestley G. S., Holland J., Marsh B., Wilson R., **710**
Pulse oximetry in mixed haemoglobinopathy, Corkeron M. A., Pavy T. J. G., **619**
Purcell G., Official painting of the 11th World Congress of Anaesthesiologists, **141**
Puri G. D., Hariwir S., Chari P., Gujral J. S., Respiratory variables during thoracotomy for PDA ligation, **375**

Quail A. W., see Harrigan P. W. J., **261**
Quality improvement, continuous, in the intensive care setting, the role of incident reporting in, Beckmann U., Runciman W. B., **311**
Quality Management in Health Care, Wilson L., Goldschmidt P., **627**

Ragg P, (R), **130**
Ranta S., see Svartling N., **717**
Rapid tracheal intubation, an alternative technique for: Intubation without muscle relaxant, Wong A. K. H., Teoh G. S., **224**
Rautela R. S., see Gurnani A., **32**
Reaction, paradoxical, to midazolam in a child, flumazenil reverses, Thakker P., Gallagher T. M., **505**
Recovery from mivacurium block with or without anticholinesterase following continuous infusion in obstetric patients, Jan G. S. K., Tong W. N., Chan A. M. H., Hui T. W. C., Lo J. W. R., **585**
Reflex Sympathetic Dystrophy:A Reappraisal, Janig W., Stanton-Hicks M., **733**
Regional Anesthesia - An Atlas of Anatomy and Techniques, Hahn M. B., McQuillan P. M., Sheplock G. J., **518**
Reilly P. L., (C), **124**
Renal and haemodynamic effects of dopexamine after cardiac surgery in children, Habre W., Beghetti M., Roduit C., Girardin E., Vallotton M., Friedli B., Berner M., **435**
Renal replacement therapy, continuous, in critically ill patients: Monitoring circuit function, Holt A. W., Bierer P., Bersten A. D., Bury L. K., Vedig A. E., **423**
Reply, van Heerden P. V., **516**
Reply, James J., **617**
Reply, Ball C., **624**
Reply, Rudkin G., **624**
Reply, van Heerden P. V., **731**
Reply: Fibrin analysing system brush, van Heerden P. V., **726**
Respiratory arrest in two children following postoperative flushing of suxamethonium from the deadspace of intravenous cannulae, Davidson A., Brown T. C. K., **97**
Respiratory Support, Sykes K., **292**
Respiratory variables during thoracotomy for PDA ligation, Puri G. D., Hariwir S., Chari P., Gujral J. S., **375**
Response times to visual and auditory alarms during anaesthesia, Morris R. W., Montano S. R., **682**
Review of efficiencies and patient satisfaction in Australian and New Zealand day surgery units: A pilotstudy, Rudkin G. E., Bacon A. K., Burrow B., Chapman M. H., Claxton M., Donovan B., Gibb Weber D. L. S., **74**
Revision of the anaesthetic aspects of an infection control policy following reporting of hepatitis C nosocomial infection, Knoblanche G., **169**
Riley R. H., (C), **727**
Ring block of the penis, subcutaneous, with caudal epidural block for post-circumcision analgesia in children, comparison of, Irwin M. G., Cheng W., **365**
Roberts B. L., see van Heerden P. V., **330**
Roberts F. W., (C), **623**
Roberts J. G., Cyberspace and the established order, **537**
Robinson S., see Albrecht A., **508**
Rocker G., see Finfer S., **569**
Rocuronium bromide in dental day case anaesthesia - a comparison with atracurium and vecuronium, Chetty M. S., Pollard B. J., Wilson A., Healy T. E. J., **37**
Rocuronium bromide, anaphylactic reaction to, Yee R., Fernandez J. A., **601**
Rodgers A., Sage D., Futter M., MacMahon S., Attitudes and practices of New Zealand anaesthetists with regard to epidural and subarachnoid anaesthesia, **79**
Rodrigo M. R. C., (C), **117**
Rodriguez-Hesles C., see Llagunes J. H., **396**
Roduit C., see Habre W., **435**
Rogers J. G., see Moores C., **459**
Rosenfeld J. V., see Harding J. N., **500**
Rounsefell B, (R), **518**
Rudkin G., (C), **624**
Rudkin G. E., see Singleton R. J., **231**
Rudkin G. E., Bacon A. K., Burrow B., Chapman M. H., Claxton M., Donovan B., Gibb D., Weber L. S., Review of efficiencies and patient satisfaction in Australian and New Zealand day surgery units: A pilot study, **74**
Runciman W B, (R), **131**
Runciman W. B., see Beckmann U., **320**
Runciman W. B., see Beckmann U., **311**
Rushmer J., (C), **115**
Russell K., (C), **126**
Russell W J, (R), **290**
Russell W. J., (C), **123**
Russell W. J., see Nor N. B. M., **483**
Russell W. J., Micik S., Gourd S., MacKay H., Wright S., A prospective clinical comparison of two intravenous polyurethane cannulae, **705**
Ryder I., see Myles P. S., **651**

Saady A., (C), **401**
Sage D., see Rodgers A., **79**
Saissi G., see Aya A. G. M., **99**
Sakura S., Nomura T., Uchida H., Tumour fragment in the airway detected by intraoperative fibreoptic examination, **265**
Sced A., (C), **127**
Schneider M., (C), **289**
Schneider M., Valentine S., Clarke G. M., Newman M. A. J., Peacock J., Acute renal failure in cardiac surgical patients potentiated by gentamicin and calcium, **647**
Scholten A., see Gilligan J., **245**
Schwager K. L., Baines D. B., Meyer R. J., Acupuncture and postoperative vomiting in day-stay paediatric patients, **674**
Screening for HIV: Ratios, risks and rationality, Jones M. E., **191**
Secher N. H., see Liu G., **714**
Seizures, multiple, following re-exposure to propofol, Harrigan P. W. J., Browne S. M., Quail A. W., **261**
Selvakumaran A., see Corke C., **590**
Sensitivity and specificity of the hemochron, hemotec and APTT for the detection of low levels of heparin, Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., **472**
Sepsis, intra-abdominal, the influence of surgery on cytokines in patients with, Hammond J. M. J., Potgieter P. D., **430**
Septicaemia: Pseudomonas stutzeri in association with a bullous skin eruption, Priestley G. S., Holland J., Marsh B., Wilson R., **710**
Serra M., see Urzua J., **579**
Serum tryptase measurement indiagnosis of intraoperative anaphylaxis caused by hydatid cyst., Blanco I., Cardenas E., Aquilera L., Camino E., Arizaga A., Telletxea S., **489**
Seshadri P, (R), **291**
Severe cerebral fat embolism, Needham A. P., McLean A. S., Stewart D. E., **502**
Sharma P. K., see Gurnani A., **32**
Sharp R. J., (C), **401**
Sharp-free, and needleless, anaesthesia, Tomkins D. P., van der Walt J. H., **164**
Shindoh M., see Oda Y., **389**
Sidhu V. S., (C), **617**
Silbert B, (R), **291**
Simes D., (C), **117**
Sims C., see Habre W., **496**
Single injection field block of tonsillar fossa, Spence A. G., **621**
Single quadrant sub-tenon's block: Evaluation of a new local anaesthetic technique for eye surgery, Guise P. A., **241**
Singleton R. J., Rudkin G. E., Osborne G. A., Watkin D. S., Williams J. A. R., Laparoscopic cholecystectomy as a day surgery procedure, **231**
Skin: bullous eruption in septicaemia pseudomonas stutzeri, Priestley G. S., Holland J., Marsh B., Wilson R., **710**
Skowronski G, (R), **405**
Smith J. E., (C), **120**
Snake venoms, Australian, in dog and human plasma, efficacy and potency of antivenoms in neutralizing the procoagulant effects, Sprivulis P., Jelinek G. A., Marshall L., **379**
Southern D. A., (C), **623**
Spence A. G., (C), **621**
Spinal anaesthesia with hyperbaric 5% lignocaine, transient radicular irritation as a complication, Albrecht A., Hogg M., Robinson S., **508**
Spinal morphine in remote practice, Goldblatt M., **615**
Splanchnic blood flow, regional, during aortic cross-clamping in the pig, an assessment of tonometry and, Jacques T., Morris R., Lalak N., Englund R., Gibb D., **15**
Sprivulis P., Jelinek G. A., Marshall L., Efficacy and potency of antivenom in neutralizing the procoagulant effects of Australian snake venoms in dog and human plasma, **379**
Staged abdominal repair in critical illness, Torrie J., Hill A. A., Streat S., **368**
Stannard C. F., (C), **288**
Stannard C. F., (C), **287**
Stewart D. E., see Needham A. P., **502**
Streat S., see Torrie J., **368**
Strengers J. L. M., (C), **724**
Stridor, post-extubation, successful treatment of, by continuous positive airway pressure, Sundaram R. K., Nikolic G., **392**
Strong T., (C), **117**
Sub-tenon's block, single quadrant. Evaluation of a new local anaesthetic technique for eye surgery, Guise P. A., **241**
Successful treatment of post-extubation stridor by continuous positive airway pressure, Sundaram R. K., Nikolic G., **392**
Sudhaman D. A., see Hiong Y. T., **609**
Sundaram R. K., Nikolic G., Successful treatment of post-extubation stridor by continuous positive airway pressure, **392**
Surgery, cardiac: Oxygen delivery and uptake. Association in patients undergoing, Myles P. S., McRae R., Ryder I., Hunt J. O., Buckland M. R., **651**
Surgery, cardiovascular: Histamine-1 and 2-receptor blockers in haemodynamic effects, Kanbak M., Kahraman S., Celebioglu B., Akpolat N., Ercan S., Erdem K., **559**
Surgery, coronary: Isoflurane, halothane and fentanyl in patients with decreased ejection fraction undergoing coronary surgery, Urzua J., Serra M., Lema G., Canessa R., Gonzales R., Meneses G., Irarrazaval M., Moran S., **579**
Surgery, scoliosis; blood-saving methods decreases homologous blood requirements in scoliosis surgery, Lisander B., Jonsson R., Nordwall A., **555**
Surgery: obstetrics, complications, uterine rupture and scar dehiscence. A five-year survey, Lynch J., Pardy J., **699**
Surgery; thoracotomy: Thyroid tumour, mediastinal anaesthesia for, Lewer B. M. F., Torrance J. M., **605**
Suxamethonium, postoperative flushing of, from the deadspace of intravenous cannulae, respiratory arrest in two children following, Davidson A., Brown T. C. K., **97**
Svartling N., Haasio J., An accidental massive extravascular infusion of fluids in a burned patient, **394**
Svartling N., Ranta S., Vuola J., Takkunen O., Life-threatening airway obstruction from nitrous oxide induced frostbite of oral cavity, **717**
Swart M., (C), **514**
Symonds J., (C), **127**
Syncope, an unusual presentation of, following crush syndrome, Oda Y., Nomura T., Shindoh M., Nishi S., Yukioka, Fujimori M., **389**

Takkunen O., see Svartling N., **717**
Tanaka H., see Fujii Y., **42**
Tang S. F., (C), **127**
Taylor E., (C), **117**
Telletxea S., see Blanco I., **489**
Teoh G. S., see Wong A. K. H., **224**
Thackray N. M., (C), **614**
Thakker P., Gallagher T. M., Flumazenil reverses paradoxical reaction to midazolam in a child, **505**
The Australian incident monitoring study in intensive care. A.I.M.S.-ICU. The development and evaluation of an incident reporting system in intensive care, Beckmann U., West L. F., Groombridge G. J., Baldwin I., Hart G. K., Clayton D. G., Webb R. K., Runciman W. B., **314**
The Australian incident monitoring study in intensive care: A.I.M.S.-ICU. An analysis of the first year of reporting, Beckmann U., Baldwin I., Hart G. K., Runciman W. B., **320**
The application of EMLA and glyceryl trinitrate ointment prior to venepuncture, Michael A., Andrew M., **360**
The brain and blood concentrations of propofol after rapid intravenous injection in sheep, and their relationships to cerebral effects, Ludbrook G. L., Upton R. N., Grant C., Gray E. C., **445**
The Cochrane collaboration, Murrell G. C., Hughes P., **286**
The cervical spine in rheumatoid arthritis, Sharp R. J., **401**
The development of hypercoagulability state as measured by thromboelastography, associated with intraoperative surgical blood loss, Ng K. J., Lo J. R., **20**

The effect of aprotinin on thrombelastography in vitro, Chalkiadis G. A., Gibbs N. M., **552**
The efficacy, applicability and side-effects of postoperative intravenous morphine with patient-controlled analgesia technique: An audit on 1233 Chinese patients, Tsui S. L., Wong W. N., Irwin M., Ng K. F. J., Lo J. R., Chan W. S., Yang J., **658**
The influence of surgery on cytokines in patients with intra-abdominal sepsis, Hammond J. M. J., Potgieter P. D., **430**
The Journal and the World Wide Web, Palmer T. E. A., **537**
The McCoy laryngoscope and difficult intubation, Morley H., **620**
The Michigan Critical Care Handbook. 13th Edition, Bartlett R. H., **405**
The Neuroanesthesia Handbook, Stone D. J., Sperry R. J., Johnson J. O., Spiekermann B. F., Yemen T. A., **520**
The prophylactic antiemetic efficacy of prochlorperazine and ondansetron in nasal septal surgery: A randomized double-blind comparison, van den Berg A. A., **538**
The role of incident reporting in continuous quality improvement in the intensive care setting, Beckmann U., Runciman W. B., **311**
The shift of haemoglobin oxygen saturation with hypothermia - an underestimated effect?, Weightman W. M., Thackray N. M., **614**
The taste of intravenous thiopentone, Nor N. B. M., Fox M. A., Metcalfe I. R., Russell W. J., **483**
The use of surrogate gases for anaesthetic monitor calibration, Troughear R., **513**
Therapeutic fibreoptic bronchoscopy in critically ill patients via laryngeal mask, Llagunes J. H., Rodriguez-Hesles C., Catala J. C., Bolinches R., **396**
Thiopentone and propofol. Postoperative nausea and vomiting: Does choice of induction agent affect outcome, Myles P. S., Hendrata M., Bennett A. M., Langley M., Buckland M. R., **355**
Thiopentone, the taste of intravenous, Nor N. B. M., Fox M. A., Metcalfe I. R., Russell W. J., **483**
Thomas H. M., see James M. F. M., **492**
Thompson W. R., see van Heerden P. V., **56**
Thompson W. R., see van Heerden P. V., **87**
Thompson W. R., see van Heerden P. V., **330**
Thoracotomy for PDA ligation, respiratory variables during, Puri G. D., Hariwir S., Chari P., Gujral J. S., **375**
Thromboelastography associated with intraoperative surgical blood loss, the development of hypercoagulability state, as measured by, Ng K. J., Lo J. R., **20**
Thrombotic potential, postoperative, following abdominal aortic surgery, carotid endarterectomy, and femoro-popliteal bypass, a comparison of, Gibbs N. M., Crawford G. P. M., Michalopoulos N., **11**
Tibballs J., (C), **515**
Tomkins D. P., van der Walt J. H., Needleless and sharp-free anaesthesia, **164**
Tong W. N., see Jan G. S. K., **585**
Tonometry and regional splanchnic blood flow during aortic cross-clamping in the pig, an assessment of, Jacques T., Morris R., Lalak N., Englund R., Gibb D., **15**
Torda T A. (R), **734**
Torrance J. M., see Lewer B. M. F., **605**
Torrie J., Hill A. A., Streat S., Staged abdominal repair in critical illness, **368**
Total Burn Care, Herndon D. N., **732**
Total hip replacement, continuous measurement of arterial blood gas status during: A prospective study, Venkatesh B., Pigott D. W., Fernandez A., Hendry S. P., **334**
Toyooka H., see Fujii Y., **42**
Tracheostomy, percutaneous dilational - A clinical study evaluating two systems, van Heerden P. V., Webb S. A. R., Power B. M., Thompson W. R., **56**
Training and manpower in the south-west Pacific region, A survey of anaesthetic, Kinnear S. B., **477**
Transfusion, blood-saving methods decreases homologous blood requirements in scoliosis surgery, Lisander B., Jonsson R., Nordwall A., **555**
Transient femoral nerve palsy after ilioinguinal block - comment, Johnson C. M., **402**
Transient radicular irritation as a complication of spinal anaesthesia with hyperbaric 5% lignocaine, Albrecht A., Hogg M., Robinson S., **508**
Transurethral resection of prostate syndrome, hyponatramia in the, Dixon B., Ernest D., **102**
Trinder T. J., (C), **121**
Troughear R., (C), **513**
Tsui S. L., Wong W. N., Irwin M., Ng K. F. J., Lo J. R., Chan W. S., Yang J., The efficacy, applicability and side-effects of postoperative intravenous morphine with patient-controlled analgesia technique: An audit on 1233 Chinese patients, **658**
Tuberculosis - The threat re-emerges, Breslin A. B. X., **176**
Tuck M., (C), **119**
Tumour fragment in the airway detected by intraoperative fibreoptic examination, Sakura S., Nomura T., Uchida H., **265**
Turner G., Anson N., Williamson R., A comparison of intramuscular ketorolac and indomethacin suppositories in the treatment of pain after oral surgery, **665**
Twyford C. J., see Ngan Kee W. D., **51**

Uchida H., see Sakura S., **265**
Unusually low P_aCO_2 as a sign of pulmonary embolism in acute severe asthma?, Clarke R. C. N., Daly J. G., Morrow B., **617**
Upton R. N., see Ludbrook G. L., **26**
Upton R. N., see Ludbrook G. L., **445**
Urgent non-emergency surgery and death attributable to anaesthetic factors, Horan B. F., Warden J. C., **694**
Urzua J., Serra M., Lema G., Canessa R., Gonzalez R., Meneses G., Irarrazaval M., Moran S., Comparison of isoflurane, halothane and fentanyl in patients with decreased ejection fraction undergoing coronary surgery, **579**
Use of esmolol during intraoperative atrioventricular rhythm, James M. F. M., Thomas H. M., **492**
Using the Pall HME filter as an oxygen therapy device in recovery room, Chui P. T., Poon M., **514**
Uterine rupture and scar dehiscence: A five-year survey, Lynch J., Pardy J., **699**
Uterus: uterine rupture and scar dehiscence five-year survey, Lynch J., Pardy J., **699**

Valentine S., see Schneider M., **647**
Vallotton M., see Habre W., **435**
Vedig A. E., see Holt A. W., **423**
Venepuncture, the application of EMLA and glyceryl trinitrate ointment prior to, Michael A., Andrew M., **360**
Venkatesh B., Pigott D. W., Fernandez A., Hendry S. P., Continuous measurement of arterial blood gas status during total hip replacement: A prospective study, **334**
Ventilation, positive pressure, alveolar overdistension in severe protracted ARDS, Finfer S., Rocker G., **569**
Verkade H. J., (C), **724**
Visceral Pain, Gebhart G. F., **405**
Vomiting: acupuncture in day-stay paediatric patients, Schwager J. L., Baines D. B., Meyer R. J., **674**
Vomiting: ondansetron and prochlorperazine in septorhinoplasty, van den Berg A. A., **538**
Vuola J., see Svartling N., **717**
van den Berg A. A., (C), **116**
van den Berg A. A., The prophylactic antiemetic efficacy of prochlorperazine and ondansetron in nasal septal surgery: A randomized double-blind comparison, **538**
van der Walt J. H., see Tomkins D. P., **164**
van Heerden P. V., (C), **128**
van Heerden P. V., (C), **516**
van Heerden P. V., (C), **624**
van Heerden P. V., (C), **726**
van Heerden P. V., (C), **731**
van Heerden P. V., Blythe D., Webb S. A. R., Inhaled aerosolized prostacyclin and nitric oxide as selective pulmonary vasodilators in ARDS - A pilot study, **564**

van Heerden P. V., Corkeron M., Webb S. A. R., Hee G., Thompson W. R., Inhaled aerosolized prostacyclin as a selective pulmonary vasodilator for the treatment of severe hypoxaemia, **87**
van Heerden P. V., Webb S. A. R., Fong S., Golledge C. L., Roberts B. L., Thompson W. R., Central venous catheters revisited - infection rates and an assessment of the new Fibrin Analysing System brush, **330**
van Heerden P. V., Webb S. A. R., Power B. M., Thompson W. R., Percutaneous dilational tracheostomy - a clinical study evaluating two systems, **56**

Waalkens H. J., (C), **724**
Wang M. J., see Huang C. H., **342**
Warden J. C., see Horan B. F., **694**
Warden J. C., Horan B. F.,Deaths attributed to anaesthesia in New South Wales 1984-1990, **66**
Watkin D. S., see Singleton R. J., **231**
Watters M., (C), **616**
Watts S. A.,A randomized double-blinded comparison of metoclopramide, ondansetron and cyclizine in day-case laparoscopy, **546**
Webb R. K., see Beckmann U., **314**
Webb S. A. R., see van Heerden P. V., **56**
Webb S. A. R., see van Heerden P. V., **87**
Webb S. A. R., see van Heerden P. V., **330**
Webb S. A. R., see van Heerden P. V., **564**
Weber L. S., see Rudkin G. E., **74**
Weeks A, (R), **293**
Weeks A, (R), **627**
Weightman W. M., (C), **614**
Weightman W. M., Clapin A. O. G., Michalopoulos N., Gibbs N. M., Sensitivity and specificity of the Hemochron, Hemotec and APTT for the detection of low levels of heparin, **472**
Wenck D., see Hanna J., **440**
West L. F., see Beckmann U., **314**
Westhorpe R., see Ball C., **3**
Westhorpe R., Cover Note - Horace Wells, **415**
Westhorpe R., William Morton and the First Successful Demonstration of Anaesthesia, **529**
William Morton and the First Successful Demonstration of Anaesthesia, Westhorpe R., **529**
Williams J. A. R., see Singleton R. J., **231**
Williamson R., see Turner G., **665**
Willson G., (C), **122**
Wilson A., see Chetty M. S., **37**
Wilson R., see Priestley G. S., **710**
Wong A. K. H., Teoh G. S., Intubation without muscle relaxant: An alternative technique for rapid tracheal intubation, **224**
Wong W. N., see Tsui S. L., **658**
Woollard G., see Anderson B. J., **669**
Wright S., see Russell W. J., **705**

Yang J., see Tsui S. L., **658**
Yee R., Fernandez J. A., Anaphylactic reaction to rocuronium bromide, **601**
Yee R., Hyde P. R., Currie J. S., Pneumothorax during laparoscopic nissen fundoplication, **93**
Young R. J., (C), **120**

Zavattaro M., (C), **118**